Application/Control Number: 10/645,880

Art Unit: 2851

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Allison Olenginski on June 17, 2005.

The application has been amended as follows:

In the Abstract:

In line 6, change "widening by means of a group of cylindrical lenses which are horizontally in parallel," to - - widening by a group of cylindrical lenses which are horizontally in parallel - -.

In the Claims:

In claim 15, change the dependency of the claim as follows: In claim 15, line 1, delete "A transmission screen according to any one of clam 1, 10 and 11" and replace it with - - A transmission screen according to either claim 1 or claim 10 - -.

Cancel claims 11 through 14 and 21 through 23.

Note that claims 11 through 14 and 21 through 23 were drawn to species nonelected without traverse. The examiner called Miss Olenginski to attain permission to change the dependency of claim 15 and the abstract by examiner's amendment and at that time the cancellation of claims 11 through 14 and 21 through 23 was also confirmed. Application/Control Number: 10/645,880

Art Unit: 2851

The following is an examiner's statement of reasons for allowance:

The prior art of record neither shows nor suggests all of the elements of claim 1 in combination and particularly:

"a light diffusing substrate which is disposed on at least one of the Fresnel lens sheet or the lenticular lens sheet, said light diffusing substrate being separate from the Fresnel lens sheet and the lenticular lens sheet,

wherein the light diffusing substrate comprises at least two diffusing layers in which a light diffusing material is dispersed, and each diffusion layer differs in dispersion density of the light diffusing material."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melissa J. Koval whose telephone number is (571) 272-2121. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on (571) 272-2258. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/645,880

Art Unit: 2851

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MJK

Malso Jan Lova